

A la Carte³

Made-to-measure rugs, created by you.

Create your made-to-measure rug to suit your personal taste and specific interior.
À la Carte³ offers you the complete freedom to create your own custom made rug.
Choose a rug from one of our five rug collections:

Timeless Classics

Pure Basics

Metropolitan Glamour

Elegant Luxury

Exotic Flavours

OUR À LA CARTE³ DISPLAYS.



360° Display - ø 160 cm, h 205 cm



Wall Display - 158 cm x 65 cm x h 205 cm

OUR CONCEPT.

1. CHOOSE YOUR RUG

Choose a rug from one of our five collections:

Timeless Classics, Pure Basics, Metropolitan Glamour, Elegant Luxury & Exotic Flavours.

2. DECIDE ON YOUR MEASUREMENTS


Create a made-to-measure rug that fits to the nearest centimetre.

3. SELECT A BORDER

Select your preferred border: either a Standard matching braid in the same colour as your rug, or if available for this reference, a more elaborate predefined Deluxe border.



Standard: matching braid



Deluxe: folded edges with comfort layer

ROUND RUGS:

- For round rugs you need to order a square of which each side has the dimension of the desired diameter. For instance, if you want a round rug with a diameter of 2.17 m, then order a square rug of 2.17 m x 2.17 m and we manufacture a round rug having a diameter of 2.17 m from this square rug, without any surcharge.
- Matching braid : the minimum diameter is 50 cm and the maximum diameter is 400 cm or 500 cm corresponding to the maximum width of the reference as indicated on the hanger.
- Folded edges with comfort layer : the minimum diameter is 180 cm and the maximum diameter is 390 cm or 490 cm corresponding to the maximum width of the reference as indicated on the hanger.





▲ Artisan

Timeless Classics



▲ Nutmeg



▲ Silt



▲ Atlantic



▲ Clay



▲ Opaque



▲ Portobello



▲ Coast



▲ Caramel



▲ Artisan



▲ Truffle



Pure Basics



▲ Dune



▲ Voile



▲ Marshmallow



▲ Beach



▲ Travertine



▲ Lily



▲ Orchid



▲ Vison



▲ Mineral



▲ True



Metropolitan Glamour



▲ Dawn



▲ Dusk



▲ Cinema



▲ Chalk



▲ Fjord



▲ Dolphin



▲ Mistral



▲ Avenue



▲ Poivre



▲ Peony



▲ Ocean

Elegant Luxury



▲ Fragole



▲ Clover



▲ Sage



▲ Nautique



▲ Lollipop



▲ Dove



▲ Eucalyptus




▲ Cosmos



▲ Cactus



▲ Ocean



▲ Copacabana

Exotic Flavours



▲ Apricot



▲ Custard



▲ Buff



▲ Heritage



▲ Hacienda



▲ Copacabana



▲ Lilac



▲ Papaya



▲ Umber



▲ Macaron

CHOOSE YOUR BORDER.

COLLECTION	REFERENCE	STANDARD BORDER	DELUXE BORDER
		MATCHING BRAID	FOLDED EDGES WITH COMFORT LAYER
<i>Timeless Classics</i>	Atlantic	à	
	Clay	à	
	Coast	à	
	Caramel	à	à
	Truffle	à	
	Opaque	à	
	Artisan	à	
	Portobello	à	à
	Silt	à	
	Nutmeg	à	
<i>Pure Basics</i>	Voile	à	
	Beach	à	
	True	à	
	Mineral	à	
	Vison	à	
	Lily	à	
	Travertine	à	
	Dune	à	
	Marshmallow	à	à
	Orchid	à	
<i>Metropolitan Glamour</i>	Cinema	à	
	Avenue	à	
	Poivre	à	
	Chalk	à	
	Peony	à	
	Dolphin	à	
	Fjord	à	
	Dusk	à	
	Mistral	à	
	Dawn	à	

CHOOSE YOUR BORDER.

COLLECTION	REFERENCE	STANDARD BORDER	DELUXE BORDER
		MATCHING BRAID	FOLDED EDGES WITH COMFORT LAYER

<i>Elegant Luxury</i>	Fragole	à	
	Cactus	à	
	Sage	à	
	Dove	à	
	Ocean	à	
	Eucalyptus	à	
	Cosmos	à	
	Lollipop	à	
	Nautique	à	
	Clover	à	
<i>Exotic Flavours</i>	Buff	à	
	Lilac	à	
	Apricot	à	
	Umber	à	
	Copacabana	à	
	Hacienda	à	
	Papaya	à	
	Macaron	à	
	Custard	à	
	Heritage	à	

TECHNICAL DATA.

- Truffle**
- Cactus**
- Atlantic**
- Lollipop**
- Fjord**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	850
Total thickness (mm)	8
Pile height (mm)	5,5
Gauge	1/10
Tufts (/m ²)	205.400
Total weight (g/m ²)	1.690
Thermal resistance (m ² K/W)	0,11
Sound absorption	DL_w = 25 dB
Fire classification	C_n-s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway

- Clover**
- Buff**
- Nutmeg**
- Silt**
- Ocean**
- Dolphin**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	700
Total thickness (mm)	9,5
Pile height (mm)	7
Gauge	1/8
Tufts (/m ²)	141.750
Total weight (g/m ²)	1.550
Thermal resistance (m ² K/W)	0,10
Sound absorption	DL_w = 24 dB
Fire classification	Cfl - s1 (16/1528)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study

TECHNICAL DATA.

- Lily
- Lilac
- Sage
- Artisan
- Coast
- Dove
- Macaron
- Dusk

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	1.550
Total thickness (mm)	13,5
Pile height (mm)	11
Gauge	1/10
Tufts (/m ²)	229.100
Total weight (g/m ²)	2.360
Thermal resistance (m ² K/W)	0,19
Sound absorption	DL _w = 34 dB
Fire classification	C _n -s1 (16/1085)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study
 Contract use : Hotel room, Hotel suite

- Beach
- Clay
- Papaya

Pile	100% SDN
Backing	Flextex Plus Actionbac
Pile weight (g/m ²)	348
Total thickness (mm)	5,3
Pile height (mm)	2,9
Gauge	1/10
Tufts (/m ²)	190.000
Total weight (g/m ²)	1.600
Thermal resistance (m ² K/W)	0,08
Sound absorption	DL _w = 25 dB
Fire classification	B _n -s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study
 Contract use : Boutique, Shop, Restaurant, Conference room, High traffic office, Stairs, Reception office

TECHNICAL DATA.

■ Portobello

■ Dune

■ Umber

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	1.100
Total thickness (mm)	13,5
Pile height (mm)	11
Gauge	1/10
Tufts (/m ²)	181.700
Total weight (g/m ²)	1.960
Thermal resistance (m ² K/W)	0,15
Sound absorption	DL _w = 30 dB
Fire classification	C _n -s1 (17/1781)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study

■ Copacabana

Pile	100% PES
Backing	ECO FusionBac
Pile weight (g/m ²)	1.200
Total thickness (mm)	11,5
Pile height (mm)	9
Gauge	1/8
Tufts (/m ²)	151.200
Total weight (g/m ²)	2.000
Thermal resistance (m ² K/W)	0,16
Sound absorption	DL _w = 30 dB
Fire classification	C _n -s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

- Peony**
- Orchid**
- Chalk**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	800
Total thickness (mm)	8,5
Pile height (mm)	6
Gauge	1/10
Tufts (/m ²)	177.750
Total weight (g/m ²)	1.630
Thermal resistance (m ² K/W)	0,105
Sound absorption	DL_w = 25 dB
Fire classification	C_f - s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway

- Fragole**
- Voile**
- Vison**
- Nautique**
- Poivre**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	820
Total thickness (mm)	10
Pile height (mm)	7,5
Gauge	1/10
Tufts (/m ²)	150.100
Total weight (g/m ²)	1.670
Thermal resistance (m ² K/W)	0,12
Sound absorption	DL_w = 28 dB
Fire classification	C_f - s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

- Heritage**
- Mineral**
- Mistral**

Pile	100% PES
Backing	ECO FusionBac
Pile weight (g/m ²)	1.900
Total thickness (mm)	19,5
Pile height (mm)	17
Gauge	1/8
Tufts (/m ²)	170.100
Total weight (g/m ²)	2.610
Thermal resistance (m ² K/W)	0,17
Sound absorption	DL_w = 32 dB
Fire classification	C_n-s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Study
 Contract use : light : Hotel room, Hotel suite

- True**
- Cinema**
- Avenue**

Pile	100% PP
Backing	FusionBac
Pile weight (g/m ²)	2.250
Total thickness (mm)	18,5
Pile height (mm)	16
Gauge	1/8
Tufts (/m ²)	157.500
Total weight (g/m ²)	3.050
Thermal resistance (m ² K/W)	0,33
Sound absorption	DL_w = 34 dB
Fire classification	E_n

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

- Hacienda**
- Travertine**
- Custard**
- Dawn**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	1.100
Total thickness (mm)	12,5
Pile height (mm)	9,5
Gauge	1/8
Tufts (/m ²)	160.650
Total weight (g/m ²)	1.900
Thermal resistance (m ² K/W)	0,13
Sound absorption	DL_w = 30 dB
Fire classification	C_n - s1 (16/1085)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs

- Eucalyptus**
- Cosmos**
- Apricot**

Pile	40% PP / 60% PA
Backing	Recytex Plus Felibac
Pile weight (g/m ²)	420
Total thickness (mm)	7,2
Pile height (mm)	3,7
Gauge	1/10
Tufts (/m ²)	148.125
Total weight (g/m ²)	1.330
Thermal resistance (m ² K/W)	0,10
Sound absorption	DL_w = 25 dB
Fire classification	E_n

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs

TECHNICAL DATA.

■ **Marshmallow**

■ **Caramel**

Pile	100% Microfibre Polyester (PES)
Backing	FusionBac
Pile weight (g/m ²)	1.800
Total thickness (mm)	17
Pile height (mm)	14,5
Gauge	5/32
Tufts (/m ²)	75.000
Total weight (g/m ²)	2.530
Thermal resistance (m ² K/W)	0,17
Sound absorption	DL_w = 33 dB
Fire classification	C_n-s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

■ **Opaque**

Pile	100% PES
Backing	ECO FusionBac
Pile weight (g/m ²)	1.700
Total thickness (mm)	14,5
Pile height (mm)	12
Gauge	1/8
Tufts (/m ²)	157.500
Total weight (g/m ²)	2.500
Thermal resistance (m ² K/W)	0,19
Sound absorption	DL_w = 31 dB
Fire classification	C_n-s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom





Made
In Belgium

à la Carte³

Karl Van der Spiegel
Business Unit Manager
karl.van.der.spiegel@alacarte3.eu
+32 (0)491 34 07 11

Nadja Hilven
Business Development Manager
nadja.hilven@alacarte3.eu
+32 (0)491 86 73 81

Industriepark Klein Frankrijk - Weverijstraat 1 - 9600 Ronse - Belgium
T +32 (0)55 23 02 11 - F +32 (0)55 23 03 46
www.alacarte3.eu