

A la Carte³

Made-to-measure rugs, created by you.

Create your made-to-measure rug to suit your personal taste and specific interior.
À la Carte³ offers you the complete freedom to create your own custom made rug.
Choose a rug from one of our five rug collections:

Timeless Classics

Pure Basics

Metropolitan Glamour

Elegant Luxury

Exotic Flavours

OUR À LA CARTE³ DISPLAYS.



360° Display - ø 160 cm, h 205 cm



Wall Display - 158 cm x 65 cm x h 205 cm

OUR CONCEPT.

1. CHOOSE YOUR RUG

Choose a rug from one of our five collections:

Timeless Classics, Pure Basics, Metropolitan Glamour, Elegant Luxury & Exotic Flavours.

2. DECIDE ON YOUR MEASUREMENTS

Create a made-to-measure rug that fits to the nearest centimetre.

3. SELECT A BORDER

Select your preferred border: either a Standard matching braid in the same colour as your rug, or if available for this reference, a more elaborate predefined Deluxe border.



Standard: matching braid



Deluxe: folded edges with comfort layer

ROUND RUGS:

- For round rugs you need to order a square of which each side has the dimension of the desired diameter. For instance, if you want a round rug with a diameter of 2.17 m, then order a square rug of 2.17 m x 2.17 m and we manufacture a round rug having a diameter of 2.17 m from this square rug, without any surcharge.
- Matching braid : the minimum diameter is 50 cm and the maximum diameter is 400 cm or 500 cm corresponding to the maximum width of the reference as indicated on the hanger.
- Folded edges with comfort layer : the minimum diameter is 180 cm and the maximum diameter is 390 cm or 490 cm corresponding to the maximum width of the reference as indicated on the hanger.





Timeless Classics



▲ Nutmeg



▲ Silt



▲ Atlantic



▲ Clay



▲ Opaque



▲ Canvas



▲ Coast



▲ Shitaki



▲ Artisan



▲ Truffle



Pure Basics



▲ Angora



▲ Voile



▲ Marshmallow



▲ Beach



▲ Travertine



▲ Lily



▲ Orchid



▲ Vison



▲ Mineral



▲ True



Metropolitan Glamour



▲ Dawn



▲ Dusk




▲ Cinema




▲ Chalk



▲ Fjord



▲ Dolphin



▲ Mistral



▲ Avenue



▲ Poivre




▲ Magenta



Elegant Luxury



▲ Punch



▲ Clover



▲ Sage



▲ Basil



▲ Lollipop



▲ Dove



▲ Eucalyptus



▲ Rivulet



▲ Cactus



▲ Ocean



▲ Copacabana

Exotic Flavours



▲ Apricot




▲ Custard



▲ Buff



▲ Heritage




▲ Hacienda



▲ Copacabana



▲ Lilac



▲ Papaya



▲ Merigold



▲ Macaron

CHOOSE YOUR BORDER.

COLLECTION	REFERENCE	STANDARD BORDER	DELUXE BORDER
		MATCHING BRAID	FOLDED EDGES WITH COMFORT LAYER
<i>Timeless Classics</i>	Atlantic	à	
	Clay	à	
	Coast	à	
	Shitaki	à	à
	Truffle	à	
	Opaque	à	
	Artisan	à	
	Canvas	à	à
	Silt	à	
	Nutmeg	à	
<i>Pure Basics</i>	Voile	à	
	Beach	à	
	True	à	
	Mineral	à	
	Vison	à	
	Lily	à	
	Travertine	à	
	Angora	à	
	Marshmallow	à	à
	Orchid	à	
<i>Metropolitan Glamour</i>	Cinema	à	
	Avenue	à	
	Poivre	à	
	Chalk	à	
	Magenta	à	
	Dolphin	à	
	Fjord	à	
	Dusk	à	
	Mistral	à	
	Dawn	à	

CHOOSE YOUR BORDER.

COLLECTION	REFERENCE	STANDARD BORDER	DELUXE BORDER
		MATCHING BRAID	FOLDED EDGES WITH COMFORT LAYER

<i>Elegant Luxury</i>	Punch	à	
	Cactus	à	
	Sage	à	
	Dove	à	
	Ocean	à	
	Eucalyptus	à	
	Rivulet	à	
	Lollipop	à	
	Basil	à	
	Clover	à	
<i>Exotic Flavours</i>	Buff	à	
	Lilac	à	
	Apricot	à	
	Merigold	à	
	Copacabana	à	
	Hacienda	à	
	Papaya	à	
	Macaron	à	
	Custard	à	
	Heritage	à	

TECHNICAL DATA.

- Truffle**
- Cactus**
- Atlantic**
- Lollipop**
- Fjord**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	850
Total thickness (mm)	8
Pile height (mm)	5,5
Gauge	1/10
Tufts (/m ²)	205.400
Total weight (g/m ²)	1.690
Thermal resistance (m ² K/W)	0,11
Sound absorption	DL _w = 25 dB
Fire classification	C _n -s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway

- Clover**
- Buff**
- Nutmeg**
- Silt**
- Ocean**
- Dolphin**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	700
Total thickness (mm)	9,5
Pile height (mm)	7
Gauge	1/8
Tufts (/m ²)	141.750
Total weight (g/m ²)	1.550
Thermal resistance (m ² K/W)	0,10
Sound absorption	DL _w = 24 dB
Fire classification	Cfl - s1 (16/1528)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study

TECHNICAL DATA.

- Lily
- Lilac
- Sage
- Artisan
- Coast
- Dove
- Macaron
- Dusk

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	1.550
Total thickness (mm)	13,5
Pile height (mm)	11
Gauge	1/10
Tufts (/m ²)	229.100
Total weight (g/m ²)	2.360
Thermal resistance (m ² K/W)	0,19
Sound absorption	DL _w = 34 dB
Fire classification	C _n -s1 (16/1085)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study
 Contract use : Hotel room, Hotel suite

- Beach
- Clay
- Papaya

Pile	100% SDN
Backing	Flextex Plus Actionbac
Pile weight (g/m ²)	348
Total thickness (mm)	5,3
Pile height (mm)	2,9
Gauge	1/10
Tufts (/m ²)	190.000
Total weight (g/m ²)	1.600
Thermal resistance (m ² K/W)	0,08
Sound absorption	DL _w = 25 dB
Fire classification	B _n -s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs, Study
 Contract use : Boutique, Shop, Restaurant, Conference room, High traffic office, Stairs, Reception office

TECHNICAL DATA.

■ **Angora**

■ **Basil**

■ **Canvas**

■ **Merigold**

■ **Shitaki**

Pile	100% Recycled Polyester (PET)
Backing	ECO FusionBac
Pile weight (g/m ²)	2.400
Total thickness (mm)	17,5
Pile height (mm)	15
Gauge	1/10
Tufts (/m ²)	260.700
Total weight (g/m ²)	3.080
Thermal resistance (m ² K/W)	0,27
Sound absorption	DL_w = 34 dB
Fire classification	Cfl-s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

■ **Copacabana**

Pile	100% PES
Backing	ECO FusionBac
Pile weight (g/m ²)	1.200
Total thickness (mm)	11,5
Pile height (mm)	9
Gauge	1/8
Tufts (/m ²)	151.200
Total weight (g/m ²)	2.000
Thermal resistance (m ² K/W)	0,16
Sound absorption	DL_w = 30 dB
Fire classification	Cfl-s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

■ Orchid

■ Chalk

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	800
Total thickness (mm)	8,5
Pile height (mm)	6
Gauge	1/10
Tufts (/m ²)	177.750
Total weight (g/m ²)	1.630
Thermal resistance (m ² K/W)	0,105
Sound absorption	DL _w = 25 dB
Fire classification	C _f - s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway

■ Voile

■ Vison

■ Poivre

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	820
Total thickness (mm)	10
Pile height (mm)	7,5
Gauge	1/10
Tufts (/m ²)	150.100
Total weight (g/m ²)	1.670
Thermal resistance (m ² K/W)	0,12
Sound absorption	DL _w = 28 dB
Fire classification	C _f - s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

- Heritage**
- Mineral**
- Mistral**

Pile	100% PES
Backing	ECO FusionBac
Pile weight (g/m ²)	1.900
Total thickness (mm)	19,5
Pile height (mm)	17
Gauge	1/8
Tufts (/m ²)	170.100
Total weight (g/m ²)	2.610
Thermal resistance (m ² K/W)	0,17
Sound absorption	DL_w = 32 dB
Fire classification	C_n-s1

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Study

Contract use : light : Hotel room, Hotel suite

- True**
- Cinema**
- Avenue**

Pile	100% PP
Backing	FusionBac
Pile weight (g/m ²)	2.250
Total thickness (mm)	18,5
Pile height (mm)	16
Gauge	1/8
Tufts (/m ²)	157.500
Total weight (g/m ²)	3.050
Thermal resistance (m ² K/W)	0,33
Sound absorption	DL_w = 34 dB
Fire classification	E_n

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

- Hacienda**
- Travertine**
- Custard**
- Dawn**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	1.100
Total thickness (mm)	12,5
Pile height (mm)	9,5
Gauge	1/8
Tufts (/m ²)	160.650
Total weight (g/m ²)	1.900
Thermal resistance (m ² K/W)	0,13
Sound absorption	DL _w = 30 dB
Fire classification	C _n - s1 (16/1085)

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs

- Eucalyptus**
- Apricot**

Pile	40% PP / 60% PA
Backing	Recytex Plus Felibac
Pile weight (g/m ²)	420
Total thickness (mm)	7,2
Pile height (mm)	3,7
Gauge	1/10
Tufts (/m ²)	148.125
Total weight (g/m ²)	1.330
Thermal resistance (m ² K/W)	0,10
Sound absorption	DL _w = 25 dB
Fire classification	E _n

PERFORMANCE

Domestic use : heavy : Living room, Dining room, Entrance, Hallway, Stairs

TECHNICAL DATA.

Marshmallow

Pile	100% Microfibre Polyester (PES)
Backing	FusionBac
Pile weight (g/m ²)	1.800
Total thickness (mm)	17
Pile height (mm)	14,5
Gauge	5/32
Tufts (/m ²)	75.000
Total weight (g/m ²)	2.530
Thermal resistance (m ² K/W)	0,17
Sound absorption	DL _w = 33 dB
Fire classification	C _n -s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

Opaque

Pile	100% PES
Backing	ECO FusionBac
Pile weight (g/m ²)	1.700
Total thickness (mm)	14,5
Pile height (mm)	12
Gauge	1/8
Tufts (/m ²)	157.500
Total weight (g/m ²)	2.500
Thermal resistance (m ² K/W)	0,19
Sound absorption	DL _w = 31 dB
Fire classification	C _n -s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom

TECHNICAL DATA.

- **Magenta**
- **Punch**
- **Rivulet**

Pile	100% PA
Backing	FusionBac
Pile weight (g/m ²)	820
Total thickness (mm)	10
Pile height (mm)	7,5
Gauge	1/10
Tufts (/m ²)	150.100
Total weight (g/m ²)	1.670
Thermal resistance (m ² K/W)	0,12
Sound absorption	DL _v = 28 dB
Fire classification	C _n -s1

PERFORMANCE

Domestic use : general : Bedroom, Living room, Dining room, Hobbyroom





Made
In Belgium

à la Carte³

Karl Van der Spiegel
Business Unit Manager
karl.van.der.spiegel@alacarte3.eu
+32 (0)491 34 07 11

Nadja Hilven
Business Development Manager
nadja.hilven@alacarte3.eu
+32 (0)491 86 73 81

Industriepark Klein Frankrijk - Weverijstraat 1 - 9600 Ronse - Belgium
T +32 (0)55 23 02 11 - F +32 (0)55 23 03 46
www.alacarte3.eu